

## Author index

- Abdelatti, M.O. & Kamath, B.S.K. Modification of a simple algometer, 610
- Abdelatti, M.O. *see* Francis, J.; Kamath, B.S.K.
- Abiad, M.-G. *see* Kolev, N.
- Adams, A.K. Dr Vernon Frederick Hall, 1238
- Adriaensen, H.A. *see* Vercauteren, M.P.
- Agrò, F., Brimacombe, J., Carassiti, M., Marchionni, L., Morelli, A. & Cataldo, R. The intubating laryngeal mask, 1084
- Agrò, F., Giampalmo, M. & Brimacombe, J. Retrograde blind nasal intubation via the intubating laryngeal mask, 205
- Ali, S.M. & Samsoon, G. Are pencil point needles safe for subarachnoid block?, 1132
- Allen, P. Corneal abrasions, 611
- Allman, M. *see* Prosser, D.
- Alston, R.P. *see* Mallick, A.
- Amaha, K. *see* Saitoh, Y.
- Amara, S. *see* Gillart, T.
- Ames, W.A. & McNiellis, N. Stylohyoid ligament classification as a cause of difficult intubation?, 415
- Ames, W.A. *see* Vincent, C.
- Amoore, J., Mather, J., Scott, D.H. & Craig, K. Infusion devices: most do not measure the volume infused, 1231
- An, G. *see* Xue, F.S.
- Anderson, L. & Robb, H. A comparison of midazolam co-induction with propofol pre dosing for induction of anaesthesia, 1117
- Appadurai, I.R. *see* Stanley, G.D.
- Arbous, M.S., Grobbee, D.E., Van Kleef, J.W. & Meursing, A.E.E. Dutch case-control study of anaesthesia-related morbidity and mortality. Rationale and methods, 162
- Armstrong, T.S.H. & Barr, J.M. Latex allergy - strategies for management, 1236
- Arrowsmith, J.E., Nicol, M.E. & Bacon, R.C. The Budget: bad news for British anaesthetists in the USA, 933
- Asai, T. & Koga, K. Use of a deflation tool before sterilisation of the laryngeal mask, 204
- Asai, T. & Shingu, K. Tracheal intubation through the intubating laryngeal mask in a patient with a fixed flexed neck and deviated larynx, 1199
- Asai, T. & Stacey, M.R.W. Low-flow anaesthesia and the cuffed oropharyngeal airway, 610
- Asai, T. *see* Koga, K.
- Asai, T. *see* Nunez, J.
- Asai, T. Use of a tracheal tube and capnograph for insertion of a feeding tube, 92
- Asai, T., Koga, K., Jones, R.M., Stacey, M., Latto, I.P. & Vaughan, R.S. An analysis of training activities in the use of critical care equipment within hospitals in the United Kingdom, 817
- Asai, T., Matsumoto, S. & Shingu, K. Use of the McCoy laryngoscope or fingers to facilitate fibroscope-aided tracheal intubation, 903
- Asbury, A.J. *see* Cameron, A.E.
- Asbury, A.J. *see* Hawksworth, C.R.E.
- Asbury, A.J. *see* Hope, A.T.
- Asbury, A.J. *see* Hyde, R.
- Ashley, E.M.C. & O'Riordan, J. Acute arrhythmias on induction of anaesthesia in a child with a blocked shunt, 930
- Atherton, A.M.J. & Buchan, I.E. Caudal epidurals: the 'whoosh' test, 927
- Avery, I. & Shaw, I.H. Tracheal aerosol administration of salbutamol, 722
- Avidan, M.S. *see* Shung, J.
- Azadian, B.S. *see* McLure, H.A.
- Bacon, R.C. *see* Arrowsmith, J.E.; Dinsmore, J.
- Bahrami, J. *see* Bunch, G.A.
- Baldock, G.J. *see* Wijetunge, A.
- Ball, A.J. *see* Jones, D.A.
- Ball, D. *see* Palmer, J.
- Ballin, M.S. *see* Putland, J.
- Balogh, S. *see* Jöhr, M.
- Bamber, J. *see* Dresner, M.
- Barr, J.M. *see* Armstrong, T.S.H.
- Barthram, C. *see* Kendell, J.
- Baskett, P.J.E. *see* Parr, M.J.A.
- Baskett, P.J.E., Parr, M.J.A. & Nolan, J.P. The intubating laryngeal mask. Results of a multicentre trial with experience of 500 cases, 1174
- Bateman, C. *see* Scott, H.
- Bawa, G.P.S. *see* Parry, M.G.
- Baxter, A. *see* Patel, M.
- Baylis, R.J.H. & Hazelgrove, J. Pain after vasectomy, 613
- Baylis, R.J.H. *see* Cook, T.M.
- Bazin, J.E. *see* Gillart, T.
- Beards, S.C., Yule, S., Kassner, A. & Jackson, A. Anatomical variation of cerebral venous drainage: the theoretical effect on jugular bulb blood samples, 627
- Beaulieu, P. Age and opioid patient-controlled analgesia use, 208
- Bech, K. *see* Callesen, T.
- Bein, T. *see* Reber, A.
- Bell, M.D.D. Percutaneous dilatational tracheostomy in children, 931
- Bellamy, M.C. *see* Koelzow, H.
- Benhamou, D. *see* Bouhemad, B.
- Berry, A. *see* Brimacombe, J.
- Berry, A.M., Brimacombe, J.R., McManus, K.F. & Goldblatt, M. An evaluation of the factors influencing selection of the optimal size of laryngeal mask airway in normal adults, 560
- Bethelmy, L. *see* Dean, V.S.
- Bevillard, F. *see* Gillart, T.
- Bhaskaran, N.C. *see* Mallick, A.
- Bhuiyan, M.S., Mallick, A. & Parsloe, M. Post-thoracotomy paraplegia coincident with epidural anaesthesia, 583
- Bickford Smith, P.J. Infusion disconnect alarms, 208
- Bie, J.A. *see* Tighe, S.Q.M.
- Bigeon, J.-Y. *see* Dearlove, O.
- Birkinshaw, K. Music and anaesthetists, 1137
- Birks, M.R. *see* Jenkins, J.G.
- Birt, D.J. *see* Dashfield, A.K.
- Bissonnette, B. *see* Sloan, M.H.
- Biswas, A. *see* Skinner, H.J.
- Black, A.M.S. *see* Kinsella, S.M.
- Blackmore, M., Maundrell, R. & Lavies, N.G. The use of heparin in critical lines, 101
- Blunt, M.C., Nicholson, J.P. & Park, G.R. Serum albumin and colloid osmotic pressure in survivors and nonsurvivors of prolonged critical illness, 755
- Board, P. Checking block height prior to Caesarean section, 210

## Author index

- Abdelatti, M.O. & Kamath, B.S.K. Modification of a simple algometer, 610
- Abdelatti, M.O. *see* Francis, J.; Kamath, B.S.K.
- Abiad, M.-G. *see* Kolev, N.
- Adams, A.K. Dr Vernon Frederick Hall, 1238
- Adriaensen, H.A. *see* Vercauteren, M.P.
- Agrò, F., Brimacombe, J., Carassiti, M., Marchionni, L., Morelli, A. & Cataldo, R. The intubating laryngeal mask, 1084
- Agrò, F., Giampalmo, M. & Brimacombe, J. Retrograde blind nasal intubation via the intubating laryngeal mask, 205
- Ali, S.M. & Samsoon, G. Are pencil point needles safe for subarachnoid block?, 1132
- Allen, P. Corneal abrasions, 611
- Allman, M. *see* Prosser, D.
- Alston, R.P. *see* Mallick, A.
- Amaha, K. *see* Saitoh, Y.
- Amara, S. *see* Gillart, T.
- Ames, W.A. & McNiellis, N. Stylohyoid ligament classification as a cause of difficult intubation?, 415
- Ames, W.A. *see* Vincent, C.
- Amoore, J., Mather, J., Scott, D.H. & Craig, K. Infusion devices: most do not measure the volume infused, 1231
- An, G. *see* Xue, F.S.
- Anderson, L. & Robb, H. A comparison of midazolam co-induction with propofol pre dosing for induction of anaesthesia, 1117
- Appadurai, I.R. *see* Stanley, G.D.
- Arbous, M.S., Grobbee, D.E., Van Kleef, J.W. & Meursing, A.E.E. Dutch case-control study of anaesthesia-related morbidity and mortality. Rationale and methods, 162
- Armstrong, T.S.H. & Barr, J.M. Latex allergy - strategies for management, 1236
- Arrowsmith, J.E., Nicol, M.E. & Bacon, R.C. The Budget: bad news for British anaesthetists in the USA, 933
- Asai, T. & Koga, K. Use of a deflation tool before sterilisation of the laryngeal mask, 204
- Asai, T. & Shingu, K. Tracheal intubation through the intubating laryngeal mask in a patient with a fixed flexed neck and deviated larynx, 1199
- Asai, T. & Stacey, M.R.W. Low-flow anaesthesia and the cuffed oropharyngeal airway, 610
- Asai, T. *see* Koga, K.
- Asai, T. *see* Nunez, J.
- Asai, T. Use of a tracheal tube and capnograph for insertion of a feeding tube, 92
- Asai, T., Koga, K., Jones, R.M., Stacey, M., Latto, I.P. & Vaughan, R.S. An analysis of training activities in the use of critical care equipment within hospitals in the United Kingdom, 817
- Asai, T., Matsumoto, S. & Shingu, K. Use of the McCoy laryngoscope or fingers to facilitate fibroscope-aided tracheal intubation, 903
- Asbury, A.J. *see* Cameron, A.E.
- Asbury, A.J. *see* Hawksworth, C.R.E.
- Asbury, A.J. *see* Hope, A.T.
- Asbury, A.J. *see* Hyde, R.
- Ashley, E.M.C. & O'Riordan, J. Acute arrhythmias on induction of anaesthesia in a child with a blocked shunt, 930
- Atherton, A.M.J. & Buchan, I.E. Caudal epidurals: the 'whoosh' test, 927
- Avery, I. & Shaw, I.H. Tracheal aerosol administration of salbutamol, 722
- Avidan, M.S. *see* Shung, J.
- Azadian, B.S. *see* McLure, H.A.
- Bacon, R.C. *see* Arrowsmith, J.E.; Dinsmore, J.
- Bahrami, J. *see* Bunch, G.A.
- Baldock, G.J. *see* Wijetunge, A.
- Ball, A.J. *see* Jones, D.A.
- Ball, D. *see* Palmer, J.
- Ballin, M.S. *see* Putland, J.
- Balogh, S. *see* Jöhr, M.
- Bamber, J. *see* Dresner, M.
- Barr, J.M. *see* Armstrong, T.S.H.
- Barthram, C. *see* Kendell, J.
- Baskett, P.J.E. *see* Parr, M.J.A.
- Baskett, P.J.E., Parr, M.J.A. & Nolan, J.P. The intubating laryngeal mask. Results of a multicentre trial with experience of 500 cases, 1174
- Bateman, C. *see* Scott, H.
- Bawa, G.P.S. *see* Parry, M.G.
- Baxter, A. *see* Patel, M.
- Baylis, R.J.H. & Hazelgrove, J. Pain after vasectomy, 613
- Baylis, R.J.H. *see* Cook, T.M.
- Bazin, J.E. *see* Gillart, T.
- Beards, S.C., Yule, S., Kassner, A. & Jackson, A. Anatomical variation of cerebral venous drainage: the theoretical effect on jugular bulb blood samples, 627
- Beaulieu, P. Age and opioid patient-controlled analgesia use, 208
- Bech, K. *see* Callesen, T.
- Bein, T. *see* Reber, A.
- Bell, M.D.D. Percutaneous dilatational tracheostomy in children, 931
- Bellamy, M.C. *see* Koelzow, H.
- Benhamou, D. *see* Bouhemad, B.
- Berry, A. *see* Brimacombe, J.
- Berry, A.M., Brimacombe, J.R., McManus, K.F. & Goldblatt, M. An evaluation of the factors influencing selection of the optimal size of laryngeal mask airway in normal adults, 560
- Bethelmy, L. *see* Dean, V.S.
- Bevillard, F. *see* Gillart, T.
- Bhaskaran, N.C. *see* Mallick, A.
- Bhuiyan, M.S., Mallick, A. & Parsloe, M. Post-thoracotomy paraplegia coincident with epidural anaesthesia, 583
- Bickford Smith, P.J. Infusion disconnect alarms, 208
- Bie, J.A. *see* Tighe, S.Q.M.
- Bigeon, J.-Y. *see* Dearlove, O.
- Birkinshaw, K. Music and anaesthetists, 1137
- Birks, M.R. *see* Jenkins, J.G.
- Birt, D.J. *see* Dashfield, A.K.
- Bissonnette, B. *see* Sloan, M.H.
- Biswas, A. *see* Skinner, H.J.
- Black, A.M.S. *see* Kinsella, S.M.
- Blackmore, M., Maundrell, R. & Lavies, N.G. The use of heparin in critical lines, 101
- Blunt, M.C., Nicholson, J.P. & Park, G.R. Serum albumin and colloid osmotic pressure in survivors and nonsurvivors of prolonged critical illness, 755
- Board, P. Checking block height prior to Caesarean section, 210

- Board, P. *see* Mercer, M.
- Bodenham, A.R. *see* Mallick, A.; Reah, G.
- Bodman, R.I. Anaesthesia, anaesthetics and anaesthesiology, 101
- Böhrer, H. *see* Schönhöfer, B.
- Bonde, J. *see* Waldau, T.
- Bose, D. *see* Patel, M.
- Bösenberg, A.T. & Ratcliffe, S. The respiratory effects of tramadol in children under halothane anaesthesia, 960
- Bothner, U. *see* Schraag, S.
- Bouhemad, B., Dounas, M., Mercier, F.J. & Benhamou, D. Bacterial meningitis following combined spinal-epidural analgesia for labour, 292
- Bourne, T. & May, A. Checking block height prior to Caesarean section, 718
- Bowden, M.I. *see* Shende, D.
- Bowler, I., Mecklenburgh, J., Dingley, J. & Findlay, G. Xenon as a replacement for nitrous oxide, 1234
- Braddon, F.E.M. *see* Manara, A.R.
- Brain, A.I.J. & Howard, D. Lingual nerve injury associated with laryngeal mask use, 713
- Braithwaite, P. *see* Reah, G.
- Brampton, W. *see* Ridley, S.A.
- Brampton, W.J. & Rowan, K.M. Value of high-dependency units, 612
- Brase, R. *see* Kolev, N.
- Breivik, H. *see* Prys-Roberts, C.
- Brighouse, D. Anaesthesia for Caesarean section in patients with aortic stenosis: the case for regional anaesthesia, 107
- Brimacombe, J. & Berry, A. The cuffed oropharyngeal airway for spontaneous ventilation anaesthesia. Clinical appraisal in 100 patients, 1074
- Brimacombe, J. *see* Agrò, F.; Cooney, A.
- Brimacombe, J., Keller, C. & Berry, A. Pharyngolaryngeal morbidity with the intubating laryngeal mask airway, 1231
- Brimacombe, J.R. *see* Berry, A.M.
- Broadway, J.W. & Cook, M. Nitrous oxide cylinders, 413
- Brock-Utne, J.G. The aetiology and prevention of peri-operative corneal abrasion, 829
- Brosnan, C. *see* Price, C.
- Brosnan, S. *see* Wright, D.
- Brosnan, S., Royston, B. & White, D. Isoflurane concentrations using uncompensated vaporisers within circle systems, 560
- Brown, C. Anaesthesia and evidence-based medicine, 826
- Brown, J.M. Comparison of pain from insertion of venous cannulae: a volunteer study, 495
- Browne, D.A. & Cockburn, J.F. Intra-operative bradycardia in gynaecological surgery, 825
- Brushøj, J. *see* Koscielnak-Nielsen, Z.
- Bryden, F. *see* Hyde, R.
- Buchan, I. *see* Eastwood, D.; Atherton, A.M.J.
- Bucx, M.J.L. & Snijders, C.J. Reshaping the Macintosh blade, 413
- Bucx, M.J.L. Application of drugs to the nasal passages, 722
- Bugg, N.C. & Jones, J.A. Hypophosphataemia. Pathophysiology, effects and management on the intensive care unit, 895
- Buggy, D., Fernando, R. & Parry, M.G. Dorsal column function after spinal/epidural anaesthesia, 925
- Buggy, D., Khan, F. & Hameedullah, H. Bacterial meningitis following combined spinal-epidural analgesia for labour, 824
- Bunch, G.A., Bahrami, J. & Macdonald, R. SHO training an anaesthetics. How good is it?, 86
- Burnstein, R.M., Newell, J.P. & Jones, J.G. Sequential changes in gas exchange following traumatic fat embolism, 373
- Burrin, J.M. *see* Nicholson, G.
- Butler, P. *see* Smurthwaite, G.J.
- Buunk, G., van der Hoeven, J.G. & Meinders, A.E. A comparison of near-infrared spectroscopy and jugular bulb oximetry in comatose patients resuscitated from a cardiac arrest, 13
- Byttember, G. *see* Struys, M.
- Calder, I. *see* Koh, K.F.
- Caldicott, L.D. *see* Vipond, A.J.
- Callesen, T., Bech, K. & Kehlet, H. The feasibility, safety and cost of infiltration anaesthesia for hernia repair, 31
- Cameron, A.E., Hyde, R.A., Sivalingam, P. & Asbury, A.J. Pressure changes over the anterior neck during tracheal and oesophageal intubation, 1120
- Campbell, W.I. & Patterson, C.C. Quantifying meaningful changes in pain, 121
- Campkin, N.T.A. *see* McLaughlin, A.J.
- Carabine, U. *see* McAtamney, D.; Kelly, M.C.
- Caranza, R. & Spiers, P. Age as a factor in increasing expressed intensive care demand, 611
- Carassiti, M. *see* Agrò, F.
- Cardwell, M.E. & Winter, B. Pericardial placement of a pulmonary artery catheter, 290
- Carroll, M. *see* McCourt, K.C.
- Carroll, M.T., Mirakhur, R.K., Lowry, D., Glover, P. & Kerr, C.J. A comparison of the neuromuscular blocking effects and reversibility of cisatracurium and atracurium, 744
- Carroll, M.T., Mirakhur, R.K., Lowry, D.W., McCourt, K.C. & Kerr, C. Neuromuscular blocking effects and train-of-four fade with cisatracurium: comparison with other nondepolarising relaxants, 1169
- Cataldo, R. *see* Agrò, F.
- Chabas, E., Gomar, C., Villalonga, A., Sala, X. & Taura, P. Post-operative respiratory function in children after abdominal surgery. A comparison of epidural and intramuscular morphine analgesia, 393
- Chamberlain, S.K. & Ciccone, G.K. Tourniquet pain during brachial plexus block, 828
- Chambers, F. *see* Griffin, M.
- Chambers, W.A. Chronic spinal cord lesions – don't forget about Bier's block, 721
- Chambers, W.A. *see* McCartney, C.J.L.; Richards, J.T.
- Chan, M.T.V. & Gin, T. The anti-emetic efficacy of a combination of ondansetron and droperidol, 412
- Chan, S. *see* Chen, P.P.; Ma, M.
- Chan, Y.K., Zuraidah, S. & Tan, P.S.K. Use of capnography delaying the diagnosis of tracheal intubation, 1207
- Chang, C.L. *see* Lee, C.K.
- Charters, P. *see* Hawkins, M.
- Cheam, E.W.S. *see* Chui, P.T.
- Cheetham, E.D. *see* Ramirez-R., J.A.
- Chen, P.P. Accuracy of bedside haemoglobin measurement, 932
- Chen, P.P. *see* Ma, M.
- Chen, P.P., Ma, M., Chan, S. & Oh, T.E. Incident reporting in acute pain management, 730
- Chidley, K.E., Law, R. & Vanner, R.G. Caesarean section following a recent retinal haemorrhage, 483
- Chien, T.J. *see* Lee, C.K.
- Chiu, C.L., Lang, C.C., Wong, P.K., Delikan, A.E. & Wang, C.Y. The effect of mivacurium pretreatment on intra-ocular pressure changes induced by suxamethonium, 501
- Chlouverakis, G. *see* Michaloudis, D.
- Choavaratana, R. *see* Vislayaputra, S.
- Choe, Y.K. *see* Park, J.W.
- Chon, S.U. *see* Kim, K.S.

- Chonchubhair, A.N. Selective serotonin reuptake inhibitors, 312
- Christie, L. & Cranfield, K.A.W. Monitoring of hypoxaemic episodes in the late postoperative period, 827
- Chui, P.T. & Cheam, E.W.S. The use of low-dose mivacurium to facilitate insertion of the laryngeal mask airway, 491
- Chumbely, G.M. *see* Gabrielycz, M.R.
- Chumbley, G.M., Hall, G.M. & Salmon, Peter. Patient-controlled analgesia: an assessment by 200 patients, 216
- Chun, Y.S. *see* Kim, K.S.
- Chung, D. *see* Ma, M.
- Chung, S.H. *see* Park, J.W.
- Ciccone, G.K. *see* Chamberlain, S.K.
- Clarke, R.C.N. *see* Convery, P.N.
- Cockburn, J.F. *see* Browne, D.A.
- Cockroft, S. *see* Roberts, L.
- Coe, T.R. Self-administration of pre-operative analgesic suppositories, 516
- Colardyn, F. *see* Poelaert, J.
- Collier, C.B. & Turner, M.A. Are pencil point needles safe for subarachnoid block?, 410
- Collins, G. *see* Somri, M.
- Collins, J.A. & Samra, G.S. Failure of chest X-rays to diagnose pneumothoraces after blunt trauma, 74
- Conacher, I.D. ASA scoring revisited to match fitness with competence, 719
- Conn, A.G. & Johnston, A.J. Failure of chest X-rays to diagnose pneumothoraces after blunt trauma, 612
- Convery, P.N., Milligan, K.R., Quinn, P., Scott, K. & Clarke, R.C.N. Low-dose intra-articular ketorolac for pain relief following arthroscopy of the knee joint, 1125
- Cook, M. *see* Broadway, J.W.
- Cook, T.M., Baylis, R.J.H. & Marjot, R. Nasal fiberoptic tracheal intubation in anaesthetised patients breathing via a modified laryngeal mask airway, 975
- Cooney, A. & Brimacombe, J., A. K., 312
- Cooper, G.M. An unexpected benefit of anaesthesia, 830
- Cooper, G.M. *see* Shende, D.
- Cooper, M. *see* Fisher, G.
- Cooper, R.M. Use and safety of percutaneous tracheostomy in intensive care. Report of a postal survey of ICU practice, 1209
- Costello, A.S. *see* Dearlove, O.
- Crabbe, D.C.G. *see* Scott, C.J.
- Craig, K. *see* Amoores, J.
- Craig, R.G. & Patwardhan, A. An abnormal epiglottis but an easy intubation, 1036
- Cranfield, K.A.W. *see* Christie, L.
- Crerar-Gilbert, O., Raveendran, K. & Horsey, P.J. Multiple trauma and massive blood transfusion, 716
- Cressey, D.M. *see* Isaac, J.L.
- Critchley, J.A.J.H. *see* Critchley, L.A.H.
- Critchley, L.A.H. & Critchley, J.A.J.H. Lung fluid and impedance cardiography, 369
- Critchley, L.A.H. Impedance cardiology. The impact of new technology, 677
- Crosse, M.M. *see* Picton, P.; White, E.
- Crowe, C. *see* Power, C.
- Crowhurst, J.A. & Plaat, F. Safety of fine-gauge, pencil point spinal needles, 1030
- Cyna, A.M. *see* Gabrielycz, M.R.
- Dakin, M.J. & Yentis, S.M. Latex allergy: a strategy for management 774
- Dark, A. & Engelhardt, T. Are you all right, Mrs Tilt?, 927
- Dark, A. *see* McCartney, C.J.L.
- Darowski, M. *see* Scott, C.J.
- Dashfield, A.K., Birt, D.J., Thurlow, J., Kestin, I.G. & Langton, J.A. Recovery characteristics using single-breath 8% sevoflurane or propofol for induction of anaesthesia in day case arthroscopy patients, 1062
- Dauberer, M. *see* Schwender, D.
- Davies, K.A. *see* Harmer, M.
- Davies, M. *see* Donnelly, T.
- Davies, P. & Landy, M. Suxamethonium and mivacurium sensitivity from pregnancy-induced plasma cholinesterase deficiency, 1109
- De Smet, T. *see* Mortier, E.
- Deakin, C.D., Knight, H., Edwards, J.C., Monro, J.L., Lamb, R.K., Keeton, B. & Salmon, A.P. Induced hypothermia in the post-operative management of refractory cardiac failure following paediatric cardiac surgery, 848
- Dean, V.S. & Bethelmy, L. Use of a Seldinger wire to change a pulmonary artery catheter, 207
- Dearlove, O., Costello, A.S. & Gorman, A.P. A leak from a three-way tap, 407
- Dearlove, O., Walker, R.W.M., Bigeon, J.-Y., Price, C.M. & Prosser, A. Xenon as a replacement for nitrous oxide, 829
- Debeer, D.A.H., Mellor, A.J. & Razis, P. Unilateral lung hyperinflation following tracheal tube change, 1131
- Delikan, A.E. *see* Chiu, C.L.
- Deshpande, S. & Watts, J. Unanticipated admission following day surgery, 1033
- Devine, A. *see* Teale, K.E.H.
- Dhond, G., Ridley, S. & Palmer, M. The impact of a high-dependency unit on the workload of an intensive care unit, 841
- Di Vadi, P.P. & Hamann, W. Systemic mastocytosis presenting as profound cardiovascular collapse during anaesthesia, 808
- Dingley, J. *see* Bowler, I.
- Dinsmore, J. *see* Shah, J.L.
- Dinsmore, J., Bacon, R.C. & Hollway, T.E. The effect of increasing degrees of spinal flexion on cerebrospinal fluid pressure, 431
- Dixon, D.M. *see* Hammond, E.J.
- Djaiani, G. & Major, E. Pneumopericardium: an unusual cause for cardiac arrest, 580
- Dob, D.P. *see* Yentis, S.M.
- Dob, D.P., McLure, H.A. & Soni, N. Failed intubation and emergency percutaneous tracheostomy, 72
- Doherty, P. *see* Hayes, A.
- Dohmen, D. *see* Vercauteren, M.P.
- Dolin, S.J. & Stephens, J.P. Pain clinics and liaison psychiatry, 317
- Donnelly, T. & Davies, M. Ventilation through a laryngeal mask airway with a poor seal, 1133
- Donnelly, T., Wong, Y.M.A. & Murthy, B.V.S. Sevoflurane and adult acute epiglottitis, 516
- Dounas, M. *see* Bouhemad, B.
- Doyle, E. *see* Rowney, D.A.
- Dresner, M., Bamber, J. & Freeman, J. The sitting position for spinal anaesthesia, 1234
- Dumaresq-Lucas, J. *see* Makin, A.P.
- Dumont, S. *see* Kruger, M.
- Duncan, M. External or internal jugular cannulation?, 1032
- Eastwood, D., Williams, C. & Buchan, I. Caudal epidurals: the whoosh test, 305
- Edbrooke, D.L. *see* Stevens, V.G.
- Edwards, J.C. *see* Deakin, C.D.
- Edwards, N.D., Mason, D.G. & Ross, J.J. A portable self-learning fuzzy logic control system for muscle relaxation, 136

- Emerson, B.M., Wrigley, S.R. & Newton, M. Pre-operative fasting for paediatric anaesthesia. A survey of current practice, 326
- Engelhardt, T. *see* Dark, A.
- Esmond, J. *see* Reah, G.
- Evans, T.W. *see* Sair, M.
- Everatt, J. & Ng, W.S. Pre-oxygenation using face mask or mouthpiece with and without nose clip: patient preferences and efficacy, 387
- Fayek, S. *see* Pickard, S.
- Fell, D. *see* Heaton, J.
- Ferguson, A. The 'non-empty' bottle revisited, 100
- Fernando, R. *see* Buggy, D.; Parry, M.G.; Thursfield, S.
- Findlay, G. *see* Bowler, I.
- Findlay, G.P. The use of CO<sub>2</sub> gap to monitor splanchnic oxygenation, 95
- Findlay, G.P., Gomersall, C.D. & Joynt, G.M. Prediction of outcome by pH<sub>i</sub>, pH<sub>a</sub> and CO<sub>2</sub> gap, 96
- Findlay, G.P., Spittal, M.J. & Radcliffe, J.J. The recognition of critical incidents: quantification of monitor effectiveness, 595
- Findley, I. *see* Price, C.
- Finsterer, U. *see* Schwender, D.
- Fischer, H.B.J. Regional anaesthesia - before or after general anaesthesia?, 727
- Fisher, G., Lerch, C., Symonds, J. & Cooper, M. *Helicobacter pylori*, 209
- Fouladinejad, F. & Roberts, J.R. The use of lamotrigine in neuropathic pain, 810
- Fraidakis, O. *see* Michaloudis, D.
- Francis, J., Abdelatti, M.O. & Kamath, B.S.K. Cuff inflator for tracheal tube, 92
- Frantzeskos, G. *see* Mouloudi, H.
- Fraser, A.H.J. *see* Picton, P.
- Freeman, J. *see* Dresner, M.
- Fujii, Y. *see* Saitoh, Y.
- Fujii, Y., Toyooka, H. & Tanaka, H. Prophylactic anti-emetic therapy with granisetron, droperidol and metoclopramide in female patients undergoing middle ear surgery, 1165
- Fukutome, T. *see* Murashima, K.
- Gabbott, D.A. *see* Mercer, M.H.
- Gabrielczyk, M.R., Cyna, A.M., Chumbley, G.M., Hall, G.M. & Salmon, P. Implementing PCA - the importance of information and control, 1028
- Gaitini, L. *see* Somri, M.
- Gajraj, N.M. *see* Nathanson, M.H.
- Galletly, D.C. *see* Lewer, B.M.F.
- Garfield, M.G. & Jones, N.S. Universal Shrader outlets on oxygen regulators, 1234
- Gedney, J.A. & Liu, E.H.C. Side-effects of epidural infusions of opioid bupivacaine mixtures, 1148
- Geernaert, K. *see* Vercauteren, M.P.
- Georgieff, M. *see* Schraag, S.
- Georgopoulou, G. *see* Michaloudis, D.
- Giampalmo, M. *see* Agrò, F.
- Gigourtsi, C. *see* Michaloudis, D.
- Gillart, T., Bazin, J.E., Montetagaud, M., Bevilard, F., Amara, S. & Schoeffler, P. The effects of volume and speed of injection in peribulbar anaesthesia, 486
- Gilmore, K.J. & Goodman, N.W. Unequal blood pressure recordings in the arms, 1135
- Gin, T. *see* Chan, M.T.V.
- Girdler, N.M. The demise of nitrous oxide - fine for anaesthesia, but what about sedation?, 719
- Glover, P. *see* Carroll, M.T.
- Goldblatt, M. *see* Berry, A.M.
- Goldhill, D.R. & Sumner, A. APACHE II, data accuracy and outcome prediction, 937
- Goldhill, D.R. & Withington, P.S. Is excessive care mortality in the United Kingdom concealed by ICU mortality prediction models, 89
- Goldsmith, A.L. & Shervill, S. My 'Y-can' can't, 1033
- Gomar, C. *see* Chabas, E.
- Gomersall, C.D. *see* Findlay, G.P.
- Gómez-Bordas, L.A., Nel, M.R. & Kurbaan, A.S. Circadian pace-makers, 310
- Goodison, R. Asthma: a plea for commonsense, 515
- Goodman, N.W. Anaesthesia and evidence-based medicine, 353
- Goodman, N.W. *see* Gilmore, K.J.; Matthews, A.J.
- Gorman, A.P. Cuffed oropharyngeal airway, 413
- Gorman, A.P. *see* Dearlove, O.
- Goto, F. *see* Karasawa, S.
- Grant, L.J. Regulations and safety in medical equipment design, 1
- Grassby, P. *see* Prosser, D.
- Gray, W.M. *see* Hope, A.T.
- Greenberg, R.S. *see* Pigott, D.W.
- Gregg, A.K. & Jones, M. Route of morphine injections, 1130
- Gregory, M. *see* Parr, M.J.A.
- Griffin, M., Russell, J. & Chambers, F. General anaesthesia for thyroplasty, 1202
- Griffiths, R. *see* Meldrum, D.J.
- Grobbee, D.E. *see* Arbous, M.S.
- Gronert, G.A. Use of suxamethonium in 'cord' patients - whether and when, 1035
- Guarracino, F. *see* Kolev, N.
- Hadaway, E.G. A fiberoptic hazard, 608
- Hakala, P. *see* Randell, T.
- Haldane, G., Stott, S. & McMenemin, I. Pouch of Douglas block for laparoscopic sterilisation, 598
- Hall, A.C. *see* Older, P.O.
- Hall, A.P. *see* Heaton, J.
- Hall, G.M. *see* Chumbley, G.M.; Gabrielczyk, M.R.; Nicholson, G.
- Hamann, W. *see* Di Vadi, P.P.
- Hambly, P.R. & Martin, B. Anaesthesia for chronic spinal cord lesions, 273
- Hameedullah, H. *see* Buggy, D.
- Hammond, E. *see* McIndoe, A.
- Hammond, E.J. & McIndoe, A.K. Supervision: what is more important, quantity or quality?, 205
- Hammond, E.J., Dixon, D.M. & Wylie, G. Anaesthetic monitors - the vanishing trace, 1233
- Hammond, E.J., McIndoe, A.K., Sansome, A.J. & Spargo, P.M. Multiple-choice examinations: adopting an evidence-based approach to exam technique, 1105
- Hardman, J.G. *see* Skinner, H.J.
- Hare, J.D. *see* Koh, K.F.
- Harmer, M. & Davies, K.A. The effect of education, assessment and a standardised prescription of postoperative pain management. The value of clinical audit in the establishment of acute pain services, 424
- Harmer, M. *see* Howell, T.K.; Hughes, J.C.
- Harper, N.J.H. *see* Teale, K.E.H.
- Harries, K. *see* Kruger, M.
- Harris, P.H.P. Cricoid pressure and laryngoscopy, 1232
- Harrison, C.A. *see* Heneghan, C.
- Hart, P.S. & Yanny, W. Needle phobia and malignant vasovagal syndrome, 1002



- Hawkins, M., O'Sullivan, E. & Charters, P. Fiberoptic intubation using the cuffed oropharyngeal airway and Aintree intubation catheter, 891
- Hawksworth, C.R.E., Sivalingam, P. & Asbury, A.J. The effect of music on anaesthetists' psychomotor performance, 195
- Hawthorne, L. *see* Lim, C.L.
- Hayes, A., Doherty, P. & Withers, J. Defective arterial monitoring kits, 409
- Hazeltine, J. *see* Baylis, R.J.H.
- Heath, K.J. & Jones, J.G. Experiences and attitudes of consultant and nontraining grade anaesthetists to continuing medical education (CME), 461
- Heath, M. New year, new *Anaesthesia*, 517
- Heaton, J., Hall, A.P. & Fell, D. The use of filters in anaesthetic breathing systems, 407
- Hedenstierna, G. *see* Reber, A.
- Hemmerling, T. *see* Tschairowsky, K.T.
- Heneghan, C., Harrison, C. & McNicol, R. Paediatric anaesthesia - who should do it?, 201
- Heneghan, C., Harrison, C.A., McNicol, R., Wilkinson, K. & Payne, J. Paediatric anaesthesia - who should do it?, 711
- Herregods, L. *see* Moerman, A.
- Hesselberg, L. *see* Koscielnak-Nielsen, Z.
- Hibbert, C.L. *see* Stevens, V.G.
- Higgins, P. *see* Power, C.
- Hillman, K.M. *see* Lee, A.
- Hindle, A. Non-rewirable plugs, 98
- Hine, I. Music and anaesthetists, 1037
- Hirsch, N.P. Respiratory insufficiency in Charcot-Marie-Tooth disease, 1034
- Hirst, C. *see* Lardi, A.M.
- Ho, B.Y.M., Skinner, H.J. & Mahajan, R.P. Gastro-oesophageal reflux during day case gynaecological laparoscopy under positive pressure ventilation: laryngeal mask vs. tracheal intubation, 921
- Hoffmann, V.L.H. *see* Vercauteren, M.P.
- Högmán, M. *see* Reber, A.
- Holdcroft, A. *see* Whitfield, A.
- Hollway, T.E. *see* Dinsmore, J.
- Hope, A.T., Woolman, P.S., Gray, W.M., Asbury, A.J. & Millar, K. A system for psychomotor evaluation; design, implementation and practice effects in volunteers, 545
- Hopkins, P.M. *see* Majumder, S.; Ramirez-R, J.A.
- Hopkinson, J.M. *see* Jenkins, J.G.
- Horsey, P.J. *see* Crerar-Gilbert, O.
- Hough, M. & Sweeney, B. The influence of smoking on post-operative nausea and vomiting, 932
- Hough, M. Current trends in obstetric epidural practice, 718
- Hough, M.B. & Sweeney, B. Postoperative nausea and vomiting in arthroscopic day-case surgery: a comparison between desflurane and isoflurane, 910
- Howard, D. *see* Brain, A.I.J.
- Howell, T.K., Prosser, D.P. & Harmer, M. A change in resistance? A survey of epidural practice amongst obstetric anaesthetists, 238
- Hsiao, J.M. *see* Lee, C.K.
- Hsu, J.C. *see* Lee, C.K.
- Huang, Y.R. *see* Lee, C.K.
- Hughes, D. *see* Mcatamney, D.
- Hughes, E.O. *see* Mostafa, S.M.
- Hughes, J. *see* Nunez, J.
- Hughes, J.C. & Harmer, M. A new gas jet method for the assessment of sensory block after spinal anaesthesia, 197
- Hughes, S. & Smith, G. Warning notices above beds, 516
- Hunter, D.N. Dangers of using a pneumatic pressure bag to increase transfusion rate, 932
- Huss, B.K. *see* McConaghy, P.
- Hyde, R., Bryden, F. & Asbury, A.J. How would patients prefer to spend the waiting time before their operations?, 192
- Hyde, R.A. *see* Cameron, A.E.
- Ilias, W.K., Klimscha, W., Skrbensky, G., Weinstabl, R. & Widhalm, A. Continuous microspinal anaesthesia: another perspective on mechanisms inducing cauda equina syndrome, 618
- Ing, R. *see* Shung, J.
- Ingram, S. & Sherry, K. Paediatric anaesthesia - who should do it?, 604
- Inomata, S., Yamashita, S., Toyooka, H., Taguchi, Y., Taguchi, M. & Sato, S. Anaesthetic induction time for tracheal intubation using sevoflurane or halothane in children, 440
- Ip-Yam, P.C. *see* Lim, C.L.
- Isaac, J.L. & Cressey, D.M. Confirmation of epidural catheter placement, 207
- Ishizaki, K. *see* Karasawa, S.
- Jackson, A.P.E. *see* Osborn, N.A.
- Jackson, A. *see* Beards, S.C.
- Jackson, A.O. *see* Woollam, C.H.M.
- Jackson, I.J.B. *see* Norman, A.T.
- Jaitly, V.K. & Mills, J.P. Postdural puncture headache, 410
- James, M.F.M. Magnesium sulphate for the control of spasms in severe tetanus, 605
- James, R.H. Ephedrine/Epinephrine drug label confusion, 511
- Jannicki, M., Zollinger, A., Seifert, B., Popovic, D., Pasch, T. & Spahn, D.R. The effect of potato starch derived and corn starch derived hydroxyethyl starch on *in vitro* blood coagulation, 638
- Jenkins, J.G., Hopkinson, J.M., Samaan, I.F., Russell, R.J.S., Birks, M.R. & Patrick, M.R. Comparative trial of spinal needles for Caesarean section, 311
- Jensen, M.B. *see* Koscielnak-Nielsen, Z.
- Johnson, C.J.H. *see* Matthews, A.J.
- Johnston, A.J. *see* Conn, A.G.
- Johnston, G. *see* Shirley, P.J.
- Johnston, I.G. Monitoring critical incidents, 1131
- Jöhr, M. & Balogh, S. Recurrent Horner's syndrome and epidural analgesia in labour, 828
- Jolliffe, D. Self-administration of pre-operative analgesic suppositories, 91
- Jones, D.A. & Ball, A.J. Ventilation during percutaneous tracheostomy, 931
- Jones, G.N. *see* Vaughan, S.T.A.
- Jones, J. & Lavies, N.G. Prescribing of opioid analgesia, 308
- Jones, J.A. *see* Bugg, N.C.
- Jones, J.G. *see* Burnstein, R.M.; Heath, K.J.
- Jones, M. *see* Gregg, A.K.
- Jones, N.S. *see* Garfield, M.G.
- Jones, R. & Stacey, R.G.W. Intrathecal diamorphine and Caesarean section, 718
- Jones, R.M. *see* Asai, T.
- Jones, S. *see* Ridley, S.A.
- Jordaens, L. *see* Moerman, A.
- Joynt, G.M. *see* Findlay, G.P.
- Justice, W. *see* Skilton, R.W.H.
- Kaku, M. *see* Koga, K.
- Kam, P.C.A. & Yoong, F.F.Y. Gamma-hydroxybutyric acid: an emerging recreational drug, 1195

- Kamal, R.S. *see* Zaidi, N.A.  
 Kamath, B.S.K. *see* Abdelatti, M.O.; Francis, J.  
 Kamath, B.S.K., Abdelatti, M.O. & Mestre, X. Management of hypoxaemia during one lung anaesthesia – a suggestion, 413  
 Kanasano, M. *see* McCourt, K.C.  
 Kaputlu, I., Sadan, G. & Özdem, S. Exogenous adenosine potentiates hypnosis induced by intravenous anaesthetics, 496  
 Karasawa, S., Ishizaki, K. & Goto, F. The effect of intrathecal administration of magnesium sulphate in rats, 879  
 Kassner, A. *see* Beards, S.C.  
 Katsanoulas, C. *see* Mouloudi, H.  
 Kay, N.H. *see* Pigott, D.W.  
 Keeton, B. *see* Deakin, C.D.  
 Kehlet, H. *see* Callesen, T.  
 Keller, C. *see* Brimacombe, J.  
 Kelly, M.C., Carabine, U.A. & Mirakhur, R.K. Intrathecal diamorphine for analgesia after Caesarean section. A dose finding study and assessment of side-effects, 231  
 Kendell, J. & Barthram, C. Revised checklist for anaesthetic machines, 887  
 Kenna, J.G. *see* Meldrum, D.J.  
 Kenny, G.N.C. *see* Taylor, I.N.  
 Kenward, M. *see* Shirley, P.J.  
 Kerr, C. *see* Carroll, M.T. McCourt, K.C.  
 Kerr, W.J. *see* O'Hare, K.  
 Kestin, I.G. *see* Dashfield, A.K.  
 Khan, F. *see* Buggy, D.  
 Khan, M. *see* Zaidi, N.A.  
 Khan, Z.P. *see* Reber, A.  
 Khaw, K.S. *see* Ngan Kee, W.D.  
 Kim, K.H. *see* Kim, K.S.  
 Kim, K.S., Chun, Y.S., Chon, S.U. & Suh, J.K. Neuromuscular interaction between cisatracurium and mivacurium, atracurium, vecuronium or rocuronium administered in combination, 872  
 Kim, K.S., Kim, K.H., Shin, W.J. & Yoo, H.K. Neuromuscular interactions between mivacurium and esmolol in rabbits, 140  
 Kim, Y.J. *see* Park, J.W.  
 King, C.J. *see* Nicoll, S.J.B.  
 Kinnear, J.A. & Scase, A.E. Beware unexplained fluid loss, 408  
 Kinnunen, J. *see* Randall, T.  
 Kinsella, M. *see* Morris, G.N.  
 Kinsella, S.M. & Black, A.M.S. Reporting of 'hypotension' after epidural analgesia during labour. Effect of choice of arm and timing of baseline readings, 131  
 Kirvelä, O. *see* Mildh, L.  
 Klasing, S. *see* Schwender, D.  
 Klein, D.C. *see* Shung, J.  
 Klimscha, W. *see* Ilias, W.K.  
 Knight, H. *see* Deakin, C.D.  
 Koay, C.K. *see* Parmar, A.K.  
 Kochiadakis, G. *see* Michaloudis, D.  
 Koelzow, H. & Bellamy, M.C. Magnesium and atrial fibrillation, 1133  
 Koetter, K.P. *see* Maleck, W.H.  
 Koga, K. *see* Asai, T.  
 Koga, K., Asai, T., Vaughan, R.S. & Latto, I.P. Respiratory complications associated with tracheal extubation. Timing of tracheal extubation and use of the laryngeal mask during emergence from anaesthesia, 540  
 Koga, K., Kaku, M., Sata, T. & Shigematsu, A. Effective use of the cuffed oropharyngeal airway, 715  
 Koh, K.F., Hare, J.D. & Calder, I. Small tubes revisited, 46  
 Köhler, D. *see* Schönhofer, B.  
 Koivuranta, M. & Läärä, E. A survey of postoperative nausea and vomiting, 412  
 Kolev, N., Brase, R., Swanevelde, J., Oppizzi, M., Riesgo, M.J., Van Der Maaten, J.M.A.A., Abiad, M.-G., Guarracino, E., Zimpfer, M. & The European Perioperative TOE Research Group, M. The influence of transoesophageal echocardiography on intra-operative decision making. A European multicentre study, 767  
 Koscielnak-Nielsen, Z., Hesselbjerg, L., Brushoj, J., Jensen, M.B. & Pedersen, H.S. EMLA patch for spinal puncture. A comparison of EMLA patch with lignocaine infiltration and placebo patch, 1218  
 Kruger, M., Harries, K. & Dumont, S. A potential PCA hazard, 314  
 Kua, S.W. *see* Tan, C.H.  
 Kurbaan, A.S. *see* Gómez-Bordas, L.A.  
 Kyttä, J. *see* Randall, T.  
 Kyttä, J. *see* Randall, T.  
 Läärä, E. *see* Koivuranta, M.  
 Lack, A. Critical incidents, 1035  
 Lafreniere, L. *see* Price, C.  
 Lähteenmäki, M., Salo, M. & Tenovu, J. Mucosal host defence response to hysterectomy assessed by saliva analyses: a comparison of propofol and isoflurane anaesthesia, 1067  
 Lamb, R.K. *see* Deakin, C.D.  
 Landy, M. *see* Davies, P.  
 Lang, C.C. *see* Chiu, C.L.  
 Langton, J.A. *see* Dashfield, A.K.  
 Lardi, A.M., Hirst, C., Mortimer, A.J. & McCollum, C.N. Evaluation of the HemoCue® for measuring intra-operative haemoglobin concentrations: a comparison with the Coulter Max-M®, 349  
 Larsen, P.D. *see* Lewer, B.M.F.  
 Larsen, V.H. *see* Waldau, T.  
 Lassner, J. Anaesthesia for ECT, 1228  
 Latto, I.P. *see* Asai, T.; Koga, K.  
 Laurence, A.S. *see* Ramirez-R., J.A.  
 Lavies, N.G. *see* Blackmore, M.  
 Lavies, N.G. *see* Jones, J.  
 Law, R. *see* Chidley, K.E.  
 Lawler, P.G. *see* Murray, D.M.  
 Lee, A., Lum, M.E., O'Regan, W.J. & Hillman, K.M. Early post-operative emergencies requiring an intensive care team intervention. The role of ASA physical status and after-hours surgery, 529  
 Lee, C.K., Chien, T.J., Hsu, J.C., Yang, C.Y., Hsiao, J.M., Huang, Y.R. & Chang, C.L. The effect of acupuncture on the incidence of postextubation laryngospasm in children, 917  
 Lee, D.J.H. *see* Yentis, S.M.  
 Leino, K. *see* Mildh, L.  
 Lerch, C. *see* Fisher, G.  
 Lerman, J. *see* Sloan, M.H.  
 Lewer, B.M.F., Larsen, P.D., Torrance, J.M. & Galletly, D.C. Pericardial placement of a pulmonary arterial catheter, 826  
 Liao, X. *see* Xue, F.S.  
 Liban, J.B. A new, improved tracheal tube connector, 606  
 Lim, C.L., Hawthorne, L. & Ip-Yam, P.C. The intubating laryngeal mask airway (ILMA) in failed and difficult intubation, 929  
 Lipp, A. Ilio-inguinal nerve block for orchidopexy, 515  
 Liu, E.H.C. *see* Gedney, J.A.  
 Liu, J.H. *see* Xue, F.S.  
 Lockwood, G.G. *see* Vagts, D.A.  
 Lorenz, I.H. *see* Luger, T.J.; Schlager, A.  
 Loughlin, V. *see* McConaghy, P.  
 Lowry, D.W. *see* Carroll, M.T.  
 Luger, T.J. & Lorenz, I.H. HaemoCue for haemoglobin monitoring, 1136

- Luger, T.J. *see* Schlager, A.  
 Lum, M.E. *see* Lee, A.  
 Luo, L.K. *see* Xue, F.S.  
 Lynch, L. *see* Simpson, K.H.  
 Lyons, G.R. *see* Reah, G.
- Ma, M. *see* Chen, P.P.; Ngan Kee, W.D.  
 Ma, M., Chen, P.P., Chan, S., Chung, D. & Stewart, M. Subconjunctival haemorrhage following rapid sequence induction in pregnancy, 314  
 Mänttinen, M. *see* Randall, T.  
 MacDonald, R. *see* Bunch, G.A.  
 Mackenzie, I. A new method of drug application to the nasal passage, 309  
 Mackenzie, J.W. Attenuation of pain on injection of propofol – an unexpected benefit of co-induction with midazolam, 100  
 MacLennan, F. *see* McCartney, C.  
 MacLeod, A.D. *see* Makin, A.P.  
 Mahajan, R.P. *see* Ho, B.Y.M.; Skinner, H.J.  
 Mahajan, R.P. *see*  
 Maile, C.J.D. Requirements for target-controlled infusion of propofol to insert the laryngeal mask airway, 714  
 Main, A. Remifentanyl as an analgesic in the critically ill, 823  
 Maino, P., Pilkington, M. & Popat, M. Combined introducer for reinforced laryngeal mask airway, 91  
 Major, E. *see* Djaiani, G.  
 Majumder, S. & Hopkins, P.M. Bilateral lingual nerve injury following the use of the laryngeal mask airway, 184  
 Makin, A.P., MacLeod, A.D. & Dumaresq-Lucas, J. Position of antireflux valves, 411  
 Mäkinen, M.-T. *see* McCourt, K.C.  
 Makita, K. *see* Saitoh, Y.  
 Maleck, W.H. & Koetter, K.P. Reshaping the Macintosh blade, 98  
 Malinauskas, R.A. *see* Myers, M.R.  
 Mallick, A. *see* Bhuiyan, M.S.  
 Mallick, A., Bhaskaran, N.C., Alston, R.P., Sinclair, C.J., Scott, D.H.T., Scott, N.B., Turfey, D.J., Ray, D.A.A. & Sutcliffe, N.P. Thoracic epidural analgesia and coronary artery bypass graft surgery, 511  
 Mallick, A., Quinn, A.C., Bodenham, A.R. & Vucevic, M. Use of the Combitube airway for airway maintenance during percutaneous tracheostomy, 249  
 Manara, A.R., Pittman, J.A.L. & Braddon, F.E.M. Reasons for withdrawing treatment in patients receiving intensive care, 523  
 Manners, J.M. Re-inventing the probang?, 723  
 Mapleson, W.W. The theoretical ideal fresh-gas flow sequence at the start of low-flow anaesthesia, 264  
 Marchionni, L. *see* Agrò, F.  
 Margason, M.P. & Soni, N. Latex allergy: a strategy for management, 789  
 Marjot, R. *see* Cook, T.M.  
 Martin, B. *see* Hambly, P.R.  
 Mason, D.G. *see* Edwards, N.D.  
 Mason, M. *see* Warwick, J.P.  
 Mather, J. *see* Amoore, J.  
 Mather, S.J. *see* Morris, E.A.J.  
 Matsumoto, S. *see* Asai, T.  
 Matthews, A.J., Johnson, C.J.H. & Goodman, N.W. Body posture during simulated tracheal intubation, 331  
 Maundrill, R. *see* Blackmore, M.  
 May, A. *see* Bourne, T.  
 Mcanulty, G. *see* Robertshaw, H.  
 McAtamney, D., O'Hare, R., Hughes, D., Carabine, U. & Mirakhur, R. Evaluation of remifentanyl for control of haemodynamic response to tracheal intubation, 1223  
 McCartney, C. & MacLennan, F. Do the risks of combined spinal-epidural analgesia in labour outweigh the benefits?, 717  
 McCartney, C.J.L. & Chambers, W.A. Pre-operative analgesics: what is wrong with the oral route?, 607  
 McCartney, C.J.L. & Dark, A. Caesarean delivery during cardiac arrest in late pregnancy, 310  
 McCollum, C.N. *see* Lardi, A.M.  
 McConaghy, P., Reid, M., Loughlin, V. & Huss, B.K. Pain after vasectomy, 83  
 McCourt, K.C. *see* Carroll, M.T.  
 McCourt, K.C., Salmela, L., Mirakhur, R.K., Carroll, M., Mäkinen, M.-T., Kansanaho, M., Kerr, C., Roest, G.J. & Olkkola, K.T. Comparison of rocuronium and suxamethonium for use during rapid sequence induction of anaesthesia, 867  
 McCoy, E. The McCoy laryngoscope, 202  
 McIndoe, A. & Hammond, E. Caesarean section during cardiac arrest, 607  
 McIndoe, A.K. *see* Hammond, E.J.  
 McLaughlin, A.J. & Campkin, N.T.A. Electrical safety – a reminder, 608  
 McLoughlin, L. Hot lines, 1238  
 McLure, H.A. & Rubin, A.P. Comparison of 0.75% levobupivacaine with 0.75% racemic bupivacaine for peribulbar anaesthesia, 1160  
 McLure, H.A. *see* Dob, D.P.  
 McLure, H.A., Talboys, C.A., Yentis, S.M. & Azadian, B.S. Surgical face masks and downward dispersal of bacteria, 624  
 McManus, I.C. Early death amongst anaesthetists. A statistical howler, 91  
 McManus, K.F. *see* Berry, A.M.  
 McMenemin, I. *see* Haldane, G.  
 McNicol, R. *see* Heneghan, C.  
 McNiellis, N. *see* Ames, W.A.  
 McQuay, H.J. *see* Tramèr, M.R.  
 McQuillan, P.J. *see* Onslow, J.  
 Meakin, G. A simple approach to dosing in children, 514  
 Mecklenburgh, J. *see* Bowler, I.  
 Mehta, S., Stone, D.N. & Whitehead, H.F. Use of essential oil to promote induction of anaesthesia in children, 720  
 Meinders, A.E. *see* Buunk, G.  
 Meldrum, D.J., Griffiths, R. & Kenna, J.G. Gallstones and isoflurane hepatitis, 905  
 Mellor, A.J. *see* Debeer, D.A.H.  
 Menage, M.J. *see* Reah, G.  
 Mercer, M. & Board, P. Anaesthetists and medical training, 212  
 Mercer, M.H. & Gabbott, D.A. Insertion of the 'Combitube' airway with the cervical spine immobilised in a rigid cervical collar, 971  
 Mercer, M.H. & Gabbott, D.A. The influence of neck position on ventilation using the combitube airway, 146  
 Mercier, E.J. *see* Bouhemad, B.  
 Mestre, X. *see* Kamath, B.S.K.  
 Meursing, A.E.E. *see* Arbous, M.S.  
 Michael, S. *see* Woodward, D.K.  
 Michaloudis, D., Fraidakis, O., Petrou, A., Gigourtsi, C. & Parthenakis, F. Anaesthesia and the QT interval, 435  
 Michaloudis, D., Kochiadakis, G., Georgopoulou, G., Fraidakis, O., Chlouverakis, G., Petrou, A. & Pollard, B.J. The influence of premedication on heart rate variability, 446  
 Mildh, L., Taittonen, M., Leino, K. & Kirvelä, O. The effect of low-dose ketamine on fentanyl-induced respiratory depression, 965  
 Millar, B.W. *see* Tunnell, R.D.  
 Millar, K. *see* Hope, A.T.



- Milligan, K.R. *see* Convery, P.N.  
 Millns, J.P. *see* Jaitly, V.K.  
 Mills, P. Charcot-Marie-Tooth disease – suxamethonium and malignant hyperthermia triggering agents, 1134  
 Mirakhur, R.K. *see* Carroll, M.T.; McAtamney, D.; Kelly, M.C.; McCourt, K.C.  
 Mitchell, J.B. *see* Shaw, A.D.S.  
 Moerman, A. *see* Struys, M.  
 Moerman, A., Herregods, L., Tavernier, R., Jordaens, L., Struys, M. & Rolly, G. Influence of anaesthesia on defibrillation threshold, 1156  
 Mogilner, G. *see* Somri, M.  
 Mohl, U. *see* Schraag, S.  
 Monro, J.L. *see* Deakin, C.D.  
 Montetgaud, M. *see* Gillart, T.  
 Montgomery, J.E. & Sneyd, J.R. Consent to clinical trials in anaesthesia, 227  
 Moore, R.A. *see* Tramèr, M.R.  
 Morelli, A. *see* Agrò, F.  
 Morgan, A.D.S. *see* Wenstone, R.  
 Morgan, M. 'Retrospective Soliloque', 935  
 Morgan, M. *see* Shaw, A.D.S.  
 Morgan-Hughes, N. & Shannon, P. A dangerous fault with a PCA pump, 827  
 Moriarty, D.C. *see* Power, C.  
 Morris, E.A.J. & Mather, S.J. Oral intake before regional anaesthesia, 1134  
 Morris, G.N., Kinsella, M. & Thomas, T.A. Pencil-point needles and combined spinal epidural block. Why needle through needle?, 1132  
 Mortier, E. *see* Struys, M.  
 Mortier, E., Struys, M., De Smet, T., Verschelen, L. & Rolly, G. Closed-loop controlled administration of propofol using bispectral analysis, 749  
 Mortimer, A.J. *see* Lardi, A.M.  
 Mostafa, S.M., Murthy, B.V.S. & Hughes, E.O. Remifentanyl in myasthenia gravis, 721  
 Mouloudi, H., Katsanoulas, C. & Frantzeskos, G. Requirements for muscle relaxation in Friedreich's ataxia, 177  
 Murashima, K. & Fukutome, T. Effect of jaw thrust manoeuvre on the laryngeal inlet, 203  
 Murray, D.M. & Lawler, P.G. All that wheezes is not asthma. Paradoxical vocal cord movement presenting as severe acute asthma requiring ventilatory support, 1006  
 Murthy, B.V.S. *see* Donnelly, T.; Mostafa, S.M.  
 Muuronen, A. *see* Tohmö, H.  
 Myers, M.R. & Malinauskas, R.A. Effect of orifice-area reduction on flow characteristics during injection through spinal needles, 151  
 Myerson, K.R. Can we assess professional behaviour in anaesthetists?, 1039  
 Nandwani, N. & Spiers, P. Increasing demand for critical care services, 612  
 Nanson, J. Pain and venous cannulation, 932  
 Nanson, J. *see* Thomas, R.  
 Naqvi, H.I. *see* Zaidi, N.A.  
 Nathanson, M.H. & Gajraj, N.M. Pain on injection of propofol, 608  
 Nathanson, M.H. & Gajraj, N.M. The peri-operative management of atrial fibrillation, 665  
 Nel, M.R. *see* Gómez-Bordas, L.A.  
 Nelson, R.A. *see* Tighe, S.Q.M.  
 Newell, J.P. *see* Burnstein, R.M.  
 Newton, M. *see* Emerson, B.M.  
 Ng, W.S. *see* Everatt, J.  
 Ngan Kee, W.D., Khaw, K.S. & Ma, M.L. The effect of the addition of adrenaline to pethidine for patient-controlled epidural analgesia after Caesarean section, 1012  
 Nicholl, J. & Willatts, S. Paediatric intensive care – the way ahead?, 1141  
 Nicholson, G., Burrin, J.M. & Hall, G.M. Peri-operative steroid supplementation, 1091  
 Nicholson, J.P. *see* Blunt, M.C.  
 Nicol, M.E. *see* Arrowsmith, J.E.  
 Nicoll, S.J.B. & King, C.J. Airway auscultation. A new method of confirming tracheal intubation, 41  
 Nielsen, M. *see* Ridley, S.A.  
 Nilsson, S. *see* Reber, A.  
 Nolan, J.P. *see* Baskett, P.J.F.  
 Norman, A.T. & Jackson, I.J.B. Acute pain services: a 24-h commitment, 1228  
 Norman, J. & Rutter, D.V. Drug designers in anaesthesia, 405  
 Nott, M.R. A 'his' and 'hers' laryngeal mask?, 714  
 Nunez, J., Hughes, J., Wareham, K. & Asai, T. Timing of removal of the laryngeal mask airway, 126  
 Nylund, U. *see* Reber, A.  
 O'Hare, K. & Kerr, W.J. The laryngeal mask as an antipollution device, 51  
 O'Hare, R. *see* McAtamney, D.  
 O'Regan, W.J. *see* Lee, A.  
 O'Riordan, J. *see* Ashley, E.M.C.  
 O'Sullivan, E. *see* Hawkins, M.  
 Ogilvy, A.J. Awareness during total intravenous anaesthesia with propofol and remifentanyl, 308  
 Oh, T.E. *see* Chen, P.P.  
 Older, P.O. & Hall, A.C. Elective admission of patients to intensive care or high dependency following major surgery, 1229  
 Olkkola, K.T. *see* McCourt, K.C.  
 Onsiang, M.K. *see* Tan, C.H.  
 Onslow, J., Taylor, B.L. & McQuillan, P.J. Double cannulation of central veins: multilumen and pulmonary artery catheter introducers, 405  
 Oppizzi, M. *see* Kolev, N.  
 Osborn, N.A., Jackson, A.P.F. & Smith, J.E. The laryngeal mask airway as an aid to training in fiberoptic nasotracheal endoscopy, 1080  
 Özdem, S. *see* Kaputlu, I.  
 Palmer, J. & Ball, D. Opening propofol ampoules, 416  
 Palmer, M. *see* Dhond, G.  
 Park, G.R. *see* Blunt, M.C.  
 Park, J.W., Chung, S.H., Choe, Y.K., Kim, Y.J., Shin, C.M. & Park, J.Y. Predictable normocapnoea in controlled ventilation of infants with Jackson Rees or Bain system, 1180  
 Park, J.Y. *see* Park, J.W.  
 Parker, A., Wyatt, R. & Ridley, S. Intensive care services: a crisis of increasing expressed demand, 113  
 Parmar, A.K. & Koay, C.K. Pain on injection of propofol. A comparison of cold propofol with propofol premixed with lignocaine, 79  
 Parr, M.J.A. *see* Baskett, P.J.F.  
 Parr, M.J.A., Gregory, M. & Baskett, P.J.F. The intubating laryngeal mask. Use in failed and difficult intubation, 343  
 Parry, M.G. *see* Buggy, D.  
 Parry, M.G., Fernando, R., Bawa, G.P.S. & Poulton, B.B. Dorsal

- column function after epidural and spinal blockade: implications for the safety of walking following low-dose regional analgesia for labour, 382
- Parloe, M. *see* Bhuiyan, M.S.
- Parthenakis, F. *see* Michaloudis, D.
- Pasch, T. *see* Jammicki, M.
- Pasch, T. *see* Spahn, D.R.
- Patel, A. & Pearce, A. Cuffed oropharyngeal airway (COPA) and pharyngeal tumours, 1032
- Patel, A. & Pearce, A. Iatrogenic puncture of the laryngeal mask airway, 928
- Patel, M., Baxter, A. & Bose, D. Caesarean section and respiratory failure, 206
- Patrick, M.R. *see* Jenkins, J.G.
- Patterson, C.C. *see* Campbell, W.I.
- Patwardhan, A. *see* Craig, R.G.
- Payne, J. *see* Heneghan, C.
- Payne, J.P. The criminal use of chloroform, 685
- Pearce, A. *see* Patel, A.
- Pedersen, H.S. *see* Koscielnak-Nielsen, Z.
- Pegg, M.S. A missed opportunity, 723
- Petchpaisit, N. *see* Vislayaputra, S.
- Peter, K. *see* Schwender, D.
- Petrou, A. *see* Michaloudis, D.
- Pickard, S., Fayek, S. & Wood, B. Over reliance on pulse oximetry, 99
- Picton, P., Crosse, M.M. & Fraser, A.H.J. A serious breathing system fault, 1229
- Pigott, D.W., Kay, N.H. & Greenberg, R.S. The cuffed oropharyngeal airway as an aid to fiberoptic intubation, 480
- Pilkington, M. *see* Maino, P.
- Pittard, A.J. & Vucevic, M. Regional anaesthesia with a subarachnoid microcatheter for Caesarean section in a parturient with aortic stenosis, 169
- Pittman, J.A.L. *see* Manara, A.R.
- Plaat, F. *see* Crowhurst, J.A.
- Poelaert, J., Schmidt, C. & Colardyn, F. Transoesophageal echocardiography in the critically ill, 55
- Pollard, B.J. *see* Michaloudis, D.
- Pollock, C.G. Old habits, the circle system and short procedures, 517
- Popat, M. *see* Maino, P.
- Popovic, D. *see* Jammicki, M.
- Porter, A.C. Use of a urethral catheter to remove an upper airway foreign body, 313
- Pott, L. *see* Shung, J.
- Poulton, B.B. *see* Parry, M.G.
- Power, C., Crowe, C., Higgins, P. & Moriarty, D.C. Anaesthetic depth at induction. An evaluation using clinical eye signs and EEG polysomnography, 736
- Power, I. *see* Smith, G.
- Price, C., Lafreniere, L., Brosnan, C. & Findley, I. Regional analgesia in early active labour: combined spinal epidural vs. epidural, 951
- Price, C.M. *see* Dearlove, O.
- Price, M. *see* Scott, H.
- Prosser, A. *see* Dearlove, O.
- Prosser, D., Allman, M. & Grassby, P. Oral transmucosal fentanyl, 1030
- Prosser, D.P. *see* Howell, T.K.
- Prys-Roberts, C., Schüttler, J., Breivik, H. & Viby-Mogensen, J. Remifentanyl, 408
- Putland, J. & Ballin, M.S. Residual fluid in the laryngeal mask cuff, 313
- Quinn, A.C. *see* Mallick, A.
- Quinn, P. *see* Convery, P.N.
- Radcliffe, J.J. *see* Findlay, G.P.
- Ramirez-R, J.A., Cheetham, E.D., Laurence, A.S. & Hopkins, P.M. Suxamethonium, masseter spasm and later malignant hyperthermia, 1111
- Randall, T., Määtänen, M. & Kytä, J. The best view at laryngoscopy using the McCoy laryngoscope with and without cricoid pressure, 536
- Randell, T., Hakala, P., Kytä, J. & Kinnunen, J. The relevance of clinical and radiological measurements in predicting difficulties in fiberoptic and orotracheal intubation in adults, 1144
- Ratchliffe, S. *see* Bösenberg, A.T.
- Raveendran, K. *see* Crerar-Gilbert, O.
- Ravenscroft, A. Spinal anaesthesia for emergency Caesarean section in an achondroplastic dwarf, 1236
- Ray, D.A.A. *see* Mallick, A.
- Razis, P. *see* Debeer, D.A.H.
- Read, J.R.M. *see* Richards, J.T.
- Reah, G., Bodenham, A.R., Braithwaite, P., Esmond, J. & Menage, M.J. Peribulbar anaesthesia using a mixture of local anaesthetic and vecuronium, 551
- Reah, G., Lyons, G.R. & Wilson, R.C. Anaesthesia for Caesarean section in a patient with Charcot-Marie-Tooth disease, 586
- Reber, A., Bein, T., Högman, M., Khan, Z.P., Nilsson, S. & Hedenstierna, G. Lung aeration and pulmonary gas exchange during lumbar epidural anaesthesia and in the lithotomy position in elderly patients, 854
- Reber, A., Nyland, U. & Hedenstierna, G. Position and shape of the diaphragm: implications for atelectasis formation, 1054
- Reid, M. *see* McConaghy, P.
- Richards, J.T., Read, J.R.M. & Chambers, W.A. Epidural anaesthesia as a method of pre-emptive analgesia for abdominal hysterectomy, 296
- Richardson, A. *see* Ryan, D.W.
- Ridley, S. *see* Dhond, G.; Parker, A.
- Ridley, S.A. Intermediate care. Possibilities, requirements and solutions, 654
- Ridley, S.A. Severity of illness scoring systems and performance appraisal, 1185
- Ridley, S.A., Jones, S., Shahani, A., Brampton, W., Nielsen, M. & Rowan, K. Classification trees. A possible method for iso-resource grouping in intensive care, 833
- Riesgo, M.J. *see* Kolev, N.
- Robb, H. *see* Anderson, L.
- Roberts, J.R. *see* Fouladinejad, F.
- Roberts, L. & Cockroft, S. Combinate and percutaneous tracheostomy, 716
- Robertshaw, H. & McNulty, G. Ambient oxygen concentrations during simulated cardiopulmonary resuscitation, 634
- Robinson, D.L. & Stacey, R.G.W. Maintaining patency of central venous pressure lines, 208
- Roest, G.J. *see* McCourt, K.C.
- Rolly, G. *see* Moerman, A.; Mortier, E.; Struys, M.
- Romer, H.C. & Russell, G.N. A survey of the practice of thoracic epidural analgesia in the United Kingdom, 1016
- Ross, J.J. *see* Edwards, N.D.
- Rowan, K.M. *see* Brampton, W.J.; Ridley, S.A.
- Rowe, W.L. Economics and anaesthesia, 774
- Rowney, D.A. & Doyle, E. Epidural and subarachnoid block in children, 980

- Royston, B. *see* Brosnan, S.; White, D.  
 Rubin, A.P. *see* McLure, H.A.  
 Russell, G.N. *see* Romer, H.C.  
 Russell, I.E. Testing regional anaesthesia before Caesarean section, 93  
 Russell, J. *see* Griffin, M.  
 Russell, R.J.S. *see* Jenkins, J.G.  
 Rutter, D.V. *see* Norman, J.  
 Ryan, D.W. & Richardson, A. Opening high-dependency beds, 1137
- Sabo, E. *see* Somri, M.  
 Sadan, G. *see* Kaputlu, I.  
 Sair, M. & Evans, T.W. ARDS: are we winning at last?, 831  
 Saitoh, Y., Fujii, Y., Takahashi, K., Makita, K., Tanaka, H. & Amaha, K. Recovery of post-tetanic count and train-of-four responses at the great toe and thumb, 244  
 Sala, X. *see* Chabas, E.  
 Salmela, L. *see* McCourt, K.C.  
 Salmon, A.P. *see* Deakin, C.D.  
 Salmon, Peter *see* Chumbley, G.M.; Gabrielczyk, M.R.  
 Salo, M. *see* Lähteenmäki, M.  
 Samaan, I.F. *see* Jenkins, J.G.  
 Samra, G.S. *see* Collins, J.A.  
 Samsoon, G. *see* Ali, S.M.  
 Sandin, R.H. *see* Sternlo, J.E.G.  
 Sansome, A.J. *see* Hammond, E.J.  
 Sata, T. *see* Koga, K.  
 Sato, S. *see* Inomata, S.  
 Scase, A.E. *see* Kinnear, J.A.  
 Schlager, A., Lorenz, I.H. & Luger, T.J. Transcutaneous CO<sub>2</sub>/O<sub>2</sub> and CO<sub>2</sub>/air suction in patients undergoing cataract surgery with retrobulbar anaesthesia, 1212  
 Schmid, E.R. *see* Spahn, D.R.  
 Schmidt, C. *see* Poelaert, J.  
 Schoeffler, P. *see* Gillart, T.  
 Schönhofer, B., Böhrer, H. & Köhler, D. Blood transfusion facilitating difficult weaning from the ventilator, 181  
 Schraag, S., Mohl, U., Bothner, U. & Georgieff, M. Clinical utility of EEG parameters to predict loss of consciousness and response to skin incision during total intravenous anaesthesia, 320  
 Schüttler, J. *see* Prys-Roberts, C.  
 Schwender, D., Daunerer, M., Klasing, S., Finsterer, U. & Peter, K. Power spectral analysis of the electroencephalogram during increasing end-expiratory concentrations of isoflurane, desflurane and sevoflurane, 335  
 Scott, C.J., Darowski, M. & Crabbe, D.C.G. Complications of percutaneous dilatational tracheostomy in children: two case reports, 477  
 Scott, D.H.T. *see* Amoores, J.; Mallick, A.; Shaw, M.  
 Scott, H., Bateman, C. & Price, M. The use of remifentanyl in general anaesthesia for Caesarean section in a patient with mitral valve disease, 695  
 Scott, K. *see* Convery, P.N.  
 Scott, N.B. *see* Mallick, A.  
 Scott, P.V. Humphrey ADE disposable carbon dioxide absorber, 829  
 Seifert, B. *see* Jannicki, M.; Spahn, D.R.  
 Shah, J.L. & Dinsmore, J. Spinal flexion and CSF pressure, 1032  
 Shahani, A. *see* Ridley, S.A.  
 Shannon, P. *see* Morgan-Hughes, N.  
 Shaw, A.D.S. *see* Wenstone, R.  
 Shaw, A.D.S. & Mitchell, J.B. Anaesthesia for video-assisted thoracoscopic patent ductus arteriosus ligation, 914  
 Shaw, A.D.S. & Morgan, M. Nitrous oxide: time to stop laughing?, 213
- Shaw, I.H. *see* Avery, I.  
 Shaw, M. & Scott, D.H.T. Performance characteristics of a 'to and fro' disposable soda lime canister, 454  
 Sheikh, A. *see* Vincent, J.C.  
 Shende, D., Cooper, G.M. & Bowden, M.I. The influence of intrathecal fentanyl on the characteristics of subarachnoid block for Caesarean section, 706  
 Sherry, K. *see* Ingram, S.  
 Shervill, S. *see* Goldsmith, A.L.  
 Shigematsu, A. *see* Koga, K.  
 Shin, C.M. *see* Park, J.W.  
 Shin, W.J. *see* Kim, K.S.  
 Shingu, K. *see* Asai, T.  
 Shirley, P.J., Thompson, N., Kenward, M. & Johnston, G. Parental anxiety before elective surgery in children, 956  
 Shung, J., Avidan, M.S., Ing, R., Klein, D.C. & Pott, L. Awake intubation of the difficult airway with the intubating laryngeal mask airway, 645  
 Simpson, K.H. & Lynch, L. Anaesthesia and electroconvulsive therapy, 615  
 Sinclair, C.J. *see* Mallick, A.  
 Sivalingam, P. *see* Cameron, A.E.; Hawksworth, C.R.E.  
 Skilton, R.W.H. & Justice, W. Epidural haematoma following anticoagulant treatment in a patient with an indwelling epidural catheter, 691  
 Skinner, H.J. & Hardman, J.G. Another angle on LMA stability, 1031  
 Skinner, H.J. *see* Ho, B.Y.M.  
 Skinner, H.J., Biswas, A. & Mahajan, R.P. Evaluation of intubating conditions with rocuronium and either propofol or etomidate for rapid sequence induction, 702  
 Skrbensky, G. *see* Ilias, W.K.  
 Skues, M.A. *see* Tighe, S.Q.M.  
 Sloan, M.H., Bissonnette, B. & Lerman, J. Interaction of vecuronium and atracurium during halothane anaesthesia in children, 36  
 Smart, N.G. *see* Varveris, D.A.  
 Smith, B.L. Anaesthesia for patients with juvenile chronic arthritis (Still's disease), 314  
 Smith, G. & Power, I. Audit and bridging the 'analgesic gap', 521  
 Smith, G. & Sneyd, J.R. Ethics and research in anaesthesia, 930  
 Smith, G. *see* Hughes, S.  
 Smith, G.B. *see* Tunnell, R.D.  
 Smith, I. The direct flick method for opening ampoules, 830  
 Smith, J.E. *see* Osborn, N.A.  
 Smurthwaite, G.J. & Butler, P. Are two sides better than one? A simple modification of a stethoscope, 406  
 Sneyd, J.R. Ethics and research in anaesthesia, 422  
 Sneyd, J.R. *see* Montgomery, J.E.; Smith, G.  
 Snijders, C.J. *see* Bueck, M.J.L.  
 Somcharoen, K. *see* Vislayaputra, S.  
 Somri, M., Gaitini, L., Vaida, S., Collins, G., Sabo, E. & Mogilher, G. Postoperative outcome in high-risk infants undergoing herniorrhaphy: comparison between spinal and general anaesthesia, 762  
 Soni, N. *see* Dob, D.P.; Margason, M.P.  
 Spahn, D.R. *see* Jannicki, M.  
 Spahn, D.R., Seifert, B., Pasch, T. & Schmid, E.R. Haemodilution tolerance in patients with mitral regurgitation, 20  
 Spargo, P.M. *see* Hammond, E.J.  
 Spiers, P. *see* Caranza, R.; Nandwani, N.; Thompson, H.  
 Spittal, M.J. *see* Findlay, G.P.  
 Stacey, M. *see* Asai, T.  
 Stacey, M.R.W. *see* Asai, T.  
 Stacey, R.G.W. *see* Jones, R.; Robinson, D.L.  
 Stanley, G.D. & Appadurai, I.R. An even better bougie, 609

- Stephens, J.P. *see* Dolin, S.J.
- Sternlo, J.E.G. & Sandin, R.H. Recurrent respiratory depression after total intravenous anaesthesia with propofol and alfentanil, 378
- Stevens, V.G., Hibbert, C.L. & Edbrooke, D.L. Evaluation of proposed casemix criteria as a basis for costing patients in the adult general intensive care unit, 944
- Stewart, H. *see* Teale, K.F.H.
- Stewart, M. *see* Ma, M.
- Stocker, M. Informed consent for suppositories, 828
- Stoehr, S. *see* Zaugg, M.
- Stone, D.N. *see* Mehta, S.
- Stott, S. *see* Haldane, G.
- Struys, M. *see* Moerman, A.; Mortier, E.
- Struys, M., Versichelen, L., Byttebier, G., Mortier, E., Moerman, A. & Rolly, G. Clinical usefulness of the bispectral index for titrating propofol target effect-site concentration, 4
- Suh, J.K. *see* Kim, K.S.
- Sumner, A. *see* Goldhill, D.R.
- Sutcliffe, N.P. *see* Mallick, A.
- Swanevelde, J. *see* Kolev, N.
- Sweeney, B. *see* Hough, M.
- Symonds, J. *see* Fisher, G.
- Taguchi, M. *see* Inomata, S.
- Taguchi, Y. *see* Inomata, S.
- Taittonen, M. *see* Mildh, L.
- Takahashi, K. *see* Saitoh, Y.
- Talboys, C.A. *see* McLure, H.A.
- Tan, C.H. & Onsiang, M.K. Pain on injection of propofol, 468
- Tan, C.H., Onsiang, M.K. & Kua, S.W. The effect of ketamine pretreatment on propofol injection pain in 100 women, 302
- Tan, I.K.S. *see* Yi, C.Y.
- Tan, P.S.K. *see* Chan, Y.K.
- Tanaka, H. *see* Fujii, Y.; Saitoh, Y.
- Taura, P. *see* Chabas, E.
- Tavernier, R. *see* Moerman, A.
- Taylor, B.L. *see* Onslow, J.
- Taylor, I.N. & Kenny, G.N.C. Requirements for target-controlled infusion of propofol to insert the laryngeal mask airway, 222
- Taylor, I.R. & Wood, M.L.B. The Portex introducer, the laryngeal mask and the edentulous patient, 414
- Taylor, R. A funny thing happened on the way to the scanner, 1237
- Taylor, R. Pre-operative fasting in children, 1135
- Teale, K.F.H., Devine, A., Stewart, H. & Harper, N.J.H. The management of metformin overdose, 698
- Tenovu, J. *see* Lähteenmäki, M.
- The European Perioperative TOE Research Group *see* Kolev, N.
- Thomas, R. & Nanson, J. Dermatological disparity, 613
- Thomas, T.A. *see* Morris, G.N.
- Thompson, H. & Spiers, P. Occupancy of a teaching hospital adult intensive care unit by high dependency patients, 589
- Thompson, N. *see* Shirley, P.J.
- Thurlow, J. *see* Dashfield, A.K.
- Thursfield, S. & Fernando, R. The cuffed oropharyngeal airway. Its clinical use in 100 patients, 823
- Tighe, S.Q.M., Bie, J.A., Nelson, R.A. & Skues, M.A. The acute pain service: effective or expensive care?, 397
- Tohmo, H., Vuorinen, E. & Muuronen, A. Prolonged impairment in activities of daily living due to postdural puncture headache after diagnostic lumbar puncture, 299
- Tong, S.Y. *see* Xue, F.S.
- Torrance, J.M. *see* Lewer, B.M.F.
- Toyooka, H. *see* Fujii, Y.
- Toyooka, H. *see* Inomata, S.
- Tramèr, M.R., Moore, R.A. & McQuay, H.J. Pre-operative analgesia - what is wrong with the evidence?, 1130
- Tschakowsky, K.T. & Hemmerling, T. Comparison of the effect of EMLA and semicircular subcutaneous anaesthesia in the prevention of tourniquet pain during plexus block anaesthesia of the arm, 390
- Tuckey, J. The epidural potato!, 1232
- Tunnell, R.D., Millar, B.W. & Smith, G.B. The effect of lead time bias on severity of illness scoring, mortality prediction and standardised mortality ratio in intensive care - a pilot study, 1045
- Turfrey, D.J. *see* Mallick, A.
- Turner, M.A. *see* Collier, C.B.
- Tzabar, Y. Cancellation of major surgery due to lack of ITU beds, 407
- Vagts, D.A. & Lockwood, G.G. The uptake of sevoflurane during anaesthesia, 862
- Vaida, S. *see* Somri, M.
- Van Der Hoeven, J.G. *see* Buunk, G.
- Van Der Maaten, J.M.A.A. *see* Kolev, N.
- Van Kleef, J.W. *see* Arbous, M.S.
- Vanner, R.G. Cricoid pressure in chaos, 94
- Vanner, R.G. *see* Chidley, K.E.
- Varveris, D.A. & Smart, N.G. The Teletubbies and anaesthesia, 416
- Vaughan, R.S. *see* Asai, T.; Koga, K.
- Vaughan, S.T.A. & Jones, G.N. Serum albumin: touchstone or totem?, 804
- Vercauteren, M.P., Geernaert, K., Hoffmann, V.L.H., Dohmen, D. & Adriaenssens, H.A. Postoperative intrathecal patient-controlled analgesia with bupivacaine, sufentanil or a mixture of both, 1022
- Versichelen, L. *see* Mortier, E.; Struys, M.
- Viby-Mogensen, J. *see* Prys-Roberts, C.
- Villalonga, A. *see* Chabas, E.
- Vincent, C. & Ames, W.A. The bearded airway, 1034
- Vincent, J.C. & Sheikh, A. Phosphate poisoning by ingestion of clothes washing liquid and fabric conditioner, 1004
- Vipond, A.J. & Caldicott, L.D. Major vascular surgery in a patient with sickle cell disease, 1204
- Vislayaputra, S., Petchpaisit, N., Somcharoen, K. & Choavaratana, R. The efficacy of ginger root in the prevention of postoperative nausea and vomiting after outpatient gynaecological laparoscopy, 506
- Vucevic, M. *see* Mallick, A.; Pittard, A.J.
- Vuorinen, E. *see* Tohmo, H.
- Waldau, T., Larsen, V.H. & Bonde, J. Evaluation of five oxygen delivery devices in spontaneously breathing subjects by oxymetry, 256
- Walker, R.W.M. *see* Dearlove, O.
- Wang, C.Y. *see* Chiu, C.L.
- Wareham, K. *see* Nunez, J.
- Warwick, J.P. & Mason, M. Obstructive sleep apnoea syndrome in children, 571
- Watt, J.W.H. Anaesthesia for chronic spinal cord lesions and multiple sclerosis, 825
- Watts, J. *see* Deshpande, S.
- Weder, W. *see* Zaugg, M.
- Weinstabl, R. *see* Ilias, W.K.
- Weller, R.M. Gum elastic bougie for difficult double-lumen intubation, 311
- Wenstone, R., Shaw, A.D.S. & Morgan, M. Nitrous oxide, 611
- White, D. & Royston, B. Respiratory feedback effects on vaporisers in circle systems, 555
- White, D. *see* Brosnan, S.; Wright, D.
- White, E. & Crosse, M.M. The aetiology and prevention of peri-operative corneal abrasions, 157

- Whitehead, H.F. *see* Mehta, S.  
 Whitfield, A. & Holdcroft, A. Anaesthesia for Caesarean section in patients with aortic stenosis: the case for general anaesthesia, 109  
 Widhalm, A. *see* Ilias, W.K.  
 Wijetunge, A. & Baldock, G.J. Evidence-based intensive care medicine, 419  
 Wilkinson, K. *see* Heneghan, C.  
 Willatts, S. *see* Nicholl, J.  
 Williams, C. *see* Eastwood, D.  
 Wilson, R.C. *see* Reah, G.  
 Winter, B. *see* Cardwell, M.E.  
 Withers, J. *see* Hayes, A.  
 Withington, P.S. *see* Goldhill, D.R.  
 Wong, P.K. *see* Chiu, C.L.  
 Wong, Y.M.A. *see* Donnelly, T.  
 Wood, B. *see* Pickard, S.  
 Wood, M.L.B. *see* Taylor, I.R.  
 Woodward, D.K. & Michael, S. A potential hazard with Tracheosoft PERC tracheostomy tubes, 1136  
 Woollam, C.H.M. & Jackson, A.O. Acupuncture in the management of chronic pain, 593  
 Woolman, P.S. *see* Hope, A.T.  
 Wright, D., Brosnan, S., Royston, B. & White, D. Controlled ventilation using isoflurane with an in-circle vaporiser, 650  
 Wrigley, S.R. *see* Emerson, B.M.  
 Wyatt, R. *see* Parker, A.  
 Wylie, G. *see* Hammond, E.J.  
 Xue, F.S., Liao, X., Tong, S.Y., Liu, J.H., An, G. & Luo, L.K. Dose-response and time-course of the effect of rocuronium bromide during sevoflurane anaesthesia, 25  
 Yamashita, S. *see* Inomata, S.  
 Yang, C.Y. *see* Lee, C.K.  
 Yanny, W. *see* Hart, P.S.  
 Yentis, S.M. & Dob, D.P. Caesarean section in the presence of aortic stenosis, 606  
 Yentis, S.M. & Lee, D.J.H. Evaluation of an improved scoring system for the grading of direct laryngoscopy, 1041  
 Yentis, S.M. *see* Dakin, M.J.; McLure, H.A.  
 Yi, C.Y. & Tan, I.K.S. Rescue from neutropenic fever and a bamboo pole, 173  
 Yoo, H.K. *see* Kim, K.S.  
 Yoong, F.F.Y. *see* Kam, P.C.A.  
 Yule, S. *see* Beards, S.C.  
 Zaidi, N.A., Khan, M., Naqvi, H.I. & Kamal, R.S. Cerebral infarct following central venous cannulation, 186  
 Zaugg, M., Stoehr, S., Weder, W. & Zollinger, A. Accidental pleural puncture by a thoracic epidural catheter, 69  
 Zimpfer, M. *see* Kolev, N.  
 Zollinger, A. *see* Jammicki, M.; Zaugg, M.  
 Zorab, J.S.M. Music and anaesthetists, 613  
 Zuraidah, S. *see* Chan, Y.K.

## Keyword index

- Acupuncture, 917  
 Age factors, children, 571  
 Airway, 971  
 Allergy, latex, 774  
 Anaesthesia technique, regional, epidural, 483  
 Anaesthesia, 273, 529  
 Anaesthesia, audit, 162, 424  
 Anaesthesia, auditing, critical incidents, 595  
 Anaesthesia, clinical, trials, consent, 227  
 Anaesthesia, day case, 506, 910  
 Anaesthesia, depth, 320, 736  
 Anaesthesia, general, 157  
 Anaesthesia, obstetric, 131, 169, 231, 238, 382, 483, 586, 706, 951, 1109  
 Anaesthesia, outpatient, 1062  
 Anaesthesia, paediatric, 36, 326, 435, 917, 956, 960, 980, 1180  
 Anaesthesia, paediatric, preterm infants, general, 762  
 Anaesthesia, regional, epidural, 1016  
 Anaesthesia, techniques, regional, spinal, 1022  
 Anaesthesia, thoracic, 914  
 Anaesthesia, training, 86  
 Anaesthetic gases, trace concentrations, 51  
 Anaesthetic techniques, induction, 264, 1223  
 Anaesthetic techniques, intravenous, adenosine, thiopentone, propofol, midazolam, 497  
 Anaesthetic techniques, introduction, 440  
 Anaesthetic techniques, regional, epidural, 131, 583, 691  
 Anaesthetic techniques, regional, epidural, spinal, 980  
 Anaesthetic techniques, regional, peribulbar, 551  
 Anaesthetic techniques, regional, spinal, 169, 198, 231, 299, 618, 706, 762,  
 Anaesthetic techniques, regional spinal, epidural, 292  
 Anaesthetic techniques, regional, axillary plexus, 390  
 Anaesthetic techniques, regional, caudal, 306  
 Anaesthetic techniques, regional, epidural, 238, 854, 1012, 1148  
 Anaesthetic techniques, regional, epidural, pre-emptive, 296  
 Anaesthetic techniques, regional, epidural, spinal, 382, 951  
 Anaesthetic techniques, regional, epidural, thoracic, 69  
 Anaesthetic techniques, regional, intrathecal, 879  
 Anaesthetic techniques, regional, peribulbar block, 486, 1160, 1213  
 Anaesthetic techniques, regional, spinal microcatheter, 586  
 Anaesthetic techniques, regional, spinal, topical, 1219  
 Anaesthetic, intravenous, propofol, 1062, 1202  
 Anaesthetic, volatile, desflurane, isoflurane, 910  
 Anaesthetic, volatile, sevoflurane, 1062  
 Anaesthetics, intravenous propofol, 4  
 Anaesthetics, intravenous, gamma-hydroxybutyric acid, 1195  
 Anaesthetics, intravenous, ketamine, 965  
 Anaesthetics, intravenous, propofol, 320, 378, 468, 749, 1067, 1156, 1117  
 Anaesthetics, intravenous, propofol, 79  
 Anaesthetics, intravenous, propofol, etomidate, 702  
 Anaesthetics, intravenous, propofol, ketamine, 302  
 Anaesthetics, local, 31  
 Anaesthetics, local, bupivacaine, 83, 706, 1148  
 Anaesthetics, local, EMLA, 390, 1219  
 Anaesthetics, local, lignocaine, 598  
 Anaesthetics, local, lignocaine, bupivacaine, 551